

1080p H.265

Smart Home Camera

Simple yet Extremely Powerful.

A Full HD 1080p Wi-Fi camera with a magnetic base, designed for simple and quick installation.

FHD

1080p



Night Vision up to 10 m (33 ft.)



Supports 2.4 GHz WiFi



Three Sound-Alert modes



Sleep Mode



Two-Way Talk

H.265

H.265 Video Compression



Supports MicroSD Card Storage (up to 256 GB)




EZVIZ CloudPlay Storage





Full HD 1080p video with a wide-angle lens.

The C2C delivers Full HD 1080p video, and with a 108° ultra-wide-angle lens, it covers a wider range of space, so you can keep an eye on what's valuable to you.









Two-way audio.

The camera comes with a built-in microphone and speaker, enabling two-way audio via the camera and your phone or tablet.





H.265 video technology.

The C2C Camera features the advanced H.265 video compression technology, achieving better video quality with only half the bandwidth and half the storage space of the previous video compression standard (H.264).



Required bandwith: 100%

Required Storage space: 100%




Required bandwith: 50%

Required Storage space: 50%

Easy installation.

The C2C comes with a magnetic base and mounting kit for easy placement on walls or ceilings.

Once set up, you can manually adjust it to cover just about any angle you need.



Specifications Model CS-C2C-A0-1E2WF (1080P, H.265)

Camera

Image Sensor 1/3" Progressive Scan CMOS

Shutter Speed Self-adaptive shutter

Lens 4 mm, view angle: 108° (Diagonal), 91° (Horizontal),

50° (Vertical)

Minimum Illumination 0.5 Lux @(F2.2, AGC ON), 0 Lux with IR

Lens Mount M12

Day & Night IR-cut filter with auto-switching

DNR 3D DNR Night Vision 10 m

Video & Audio

Max. Resolution 1920 × 1080

Frame Rate Max: 25 fps; Self-Adaptive during network transmission

Video Compression H.265 / H.264 H.265 Type Main Profile

Video Bit Rate HD; Standard. Adaptive bit rate.

Audio Bit Rate Self-adaptive

Max. Bitrate 1 Mbps

Function

Smart Alarm Motion detection

Two-way Talk Supports

General Function Anti-Flicker, Dual-Stream, Heart Beat, Mirror Image,

Password Protection, Watermark

Network

Standard IEEE802.11b, 802.11g, 802.11n

Frequency Range 2.4 GHz ~ 2.4835 GHz

Channel Bandwidth Supports 20 MHz

Security 64 / 128-bit WEP, WPA / WPA2, WPA-PSK / WPA2-PSK

Transmission Rate 11b: 11 Mbps, 11g: 54 Mbps, 11n: 72 Mbps

Wi-Fi Pairing AP pairing

Protocol EZVIZ cloud proprietary protocol Interface Protocol EZVIZ cloud proprietary protocol

Storage

Local Storage MicroSD card (max. 256 GB)

Cloud Storage EZVIZ Cloud Storage

General

Operating Conditions $-10 \, ^{\circ}\text{C} \sim 45 \, ^{\circ}\text{C} \, (14 \, ^{\circ}\text{F} \sim 113 \, ^{\circ}\text{F}),$

Humidity 95% or less (non-condensing)

Power Supply DC 5V / 1A

Power Consumption Max. 4.0 W

Product Dimensions $110 \times 58 \times 38 \text{ mm} (4.33 \times 2.28 \times 1.50 \text{ inch})$

Packaging Dimensions $149 \times 91.5 \times 87.5 \text{ mm}$ (5.87 x 3.60 x 3.44 inch)

Net Weight 100 g (3.53 oz)

Weight (With Package) 292 g (10.30 oz)

In the box:

- C2C Camera
- USB Cable
- 3-Meter Power Adapter
- Foam Sticker
- Metal Plate
- Base
- Drill Template
- Screw Kit
- Regulatory Information
- Quick Start Guide

Certificates

FCC/UL/CE/RoHS/WEEE/REACH